

libosmosdr

0.1.20151211

Generated by Doxygen 1.8.17

1 Data Structure Index	1
1.1 Data Structures	1
2 Data Structure Documentation	3
2.1 osmosdr_dev Struct Reference	3
2.2 osmosdr_dongle Struct Reference	3
2.3 osmosdr_tuner Struct Reference	4
Index	5

Chapter 1

Data Structure Index

1.1 Data Structures

Here are the data structures with brief descriptions:

osmosdr_dev	3
osmosdr_dongle	3
osmosdr_tuner	4

Chapter 2

Data Structure Documentation

2.1 osmosdr_dev Struct Reference

Data Fields

- libusb_context * **ctx**
- struct libusb_device_handle * **devh**
- uint32_t **xfer_buf_num**
- uint32_t **xfer_buf_len**
- struct libusb_transfer ** **xfer**
- unsigned char ** **xfer_buf**
- osmosdr_read_async_cb_t **cb**
- void * **cb_ctx**
- enum osmosdr_async_status **async_status**
- uint32_t **rate**
- uint32_t **adc_clock**
- **osmosdr_tuner_t * tuner**
- uint32_t **freq**
- int **gain**

The documentation for this struct was generated from the following file:

- src/libosmosdr.c

2.2 osmosdr_dongle Struct Reference

Data Fields

- uint16_t **vid**
- uint16_t **pid**
- const char * **name**

The documentation for this struct was generated from the following file:

- src/libosmosdr.c

2.3 osmosdr_tuner Struct Reference

Data Fields

- int(* **init**)(void *)
- int(* **exit**)(void *)
- int(* **set_freq**)(void *, uint32_t freq)
- int(* **set_bw**)(void *, int bw)
- int(* **set_gain**)(void *, int gain)
- int(* **set_gain_mode**)(void *, int manual)

The documentation for this struct was generated from the following file:

- src/libosmosdr.c

Index

osmosdr_dev, 3
osmosdr_dongle, 3
osmosdr_tuner, 4